

# **Bid Proposal**

## **2026 Auglaize County Road Paving**

### **Time & Location of Bid:**

**10:45 a.m., March 26, 2026**

Auglaize County Commissioners' Office, Administration Building,  
209 South Blackhoof Street, Suite 209  
Wapakoneta, Ohio 45895

### **Project Details:**

Auglaize County is accepting bids for improving County highways with PG 64-22 & PG 7-20 performance-grade asphaltic concrete in accordance with the plans and specifications as further detailed. The below-listed bid items are for providing all necessary equipment, materials, and labor necessary for pavement planning as directed, the hauling, laying, and rolling of said asphalt on the various roads listed. Additions or deletions from the estimated quantities will be based on the unit bid prices. Complete project specifications are included with this bid proposal.

The Auglaize County paving program will be bid and awarded in one phase. Project locations for this program are listed in the attached bid proposal.

The Auglaize County Engineer/Commissioners shall have the right to waive any informalities and have the right to reject any or all bids or specific line items in the bid.

### **Berm Stone:**

Included in this bid package is an optional bid item for supplying and placing berm stone. If this optional bid item is chosen, the contractor would be responsible for placing the berm stone within 72 hours of the resurfacing of the roadway where needed and directed by the County Engineer.

The contractor is to leave all "Road Under Construction" signs in the work area until the berm stone has been placed. Signs shall remain until centerline painting has been completed.

### **Completion Date:**

**October 1, 2026**

In keeping with the October 1, 2026 completion date, any additions to the proposed paving program shall be certified in writing to the successful bidder within 30 days of the award from the Auglaize County Commissioners. Any additional paving requested by the County or a Township after the 30-day period shall have a negotiated completion date satisfactory with both parties.

### **Prevailing Wages:**

The project is subject to Ohio's Prevailing Wages (attached) as outlined in Section 4115 of the Ohio Revised Code.

### **Pavement Widths:**

The estimated quantities for both asphalt concrete and tack coat are figured using all County roadway widths being 20 feet.

### **Contractor Information**

|                      |  |
|----------------------|--|
| <b>Contractor:</b>   |  |
| <b>Address:</b>      |  |
| <b>Federal ID #:</b> |  |
| <b>Phone:</b>        |  |
| <b>Fax:</b>          |  |

# Bid Tabulation

## 2026 Auglaize County Paving Program

| Item No.       | Estimate Qty. | Item                                 | Unit Cost | Total Cost |
|----------------|---------------|--------------------------------------|-----------|------------|
| 441 (PG 64-22) | 3,673 tons    | Type 1 Surface Asphalt Concrete      |           |            |
| 441 (PG 70-20) | 2,740 tons    | Type 1 Surface Asphalt Concrete      |           |            |
| 441 (PG 64-22) | 3,578 tons    | Type 1 Intermediate Asphalt Concrete |           |            |
| 301            | 250           | Base Mix Asphalt Concrete            |           |            |
| 407            | 4,720 gallons | Tack Coat                            |           |            |
| 254            | 500 sq. yd.   | Pavement Planing, Asphalt Concrete   |           |            |
| 614            | 14.64 miles   | Temp. Centerline                     |           |            |
| 614            | Lump          | Maintaining Traffic                  | Lump      |            |
| 623            | Lump          | Construction Layout                  | Lump      |            |
| 103.5          | Lump          | Contractor's Bond                    | Lump      |            |

**Total Amount of Bid =**

**Engineer's Estimate = \$1,303,079**

### Additional Bid Items

|   |      |         |
|---|------|---------|
| Supplying and Placing berm stone                | \$   | /ton    |
| 72" wide mill machine with hauling of grindings | \$   | /hour   |
| 24" mill on skid loader and hauling grindings   | \$   | /hour   |
| Deduction if Auglaize County provides trucking  | - \$ | /hour   |
| 441, Type 1 application of scratch course       | \$   | /ton    |
| Trackless tack                                  | \$   | /gallon |

**Contractor's Authorized Representative:**

\_\_\_\_\_

*(Signature)*

\_\_\_\_\_

*(Date)*

## **2026 Auglaize County Paving Program**

The 2026 Auglaize County Paving Program consists of a total of 9.29 miles of paving and will be bid as one phase. This one phase will be awarded, bonded and contracted. Listed below are the general specifications as well as detailed specifications and schedule restrictions. A map showing the locations of the paving program is also attached.

### **Summary:**

This project consists of a combination of 0.75" thick intermediate course and 1.25" thick surface course overlay on a total of 9.29 miles of roadway and shall be paved using PG 64-22. The proposed depths and tonnages are subject to change at the discretion of the County Engineer. Full road-width paving is required except for paving on CR 66A. This project will be awarded following the successful completion of the bid process. Paving can begin after the execution of the contract and bonding requirements and approval from the County Engineer.

Auglaize County Townships may add onto this bid and quantities at their request and approval from the County Engineer.

Invoices for this project shall be submitted to the County Engineer for processing and approval. All other project requirements not stated in this section shall be governed by the "Auglaize County General Paving Specifications" section below.

### **County Paving Locations**

| <b>Road Name</b> | <b>Location</b>              | <b>Length (mi.)</b> | <b>Estimated Intermediate (Tons)</b> | <b>Estimated Surface(Tons) PG64-22</b> | <b>Estimated Surface(Tons) PG70-20</b> | <b>Road Width (Ft.)</b> |
|------------------|------------------------------|---------------------|--------------------------------------|--|--|-------------------------|
| CR 66A           | SR 66 to Old Mill            | 2.75                | 1,344                                | 0                                      | 2,240                                  | 20                      |
| Fiekart Rd       | Logan County Line to SR 385  | 1.17                | 572                                  | 953                                    | 0                                      | 20                      |
| National         | Moulton Ft Amanda to Main St | 2                   | 978                                  | 1,600                                  | 0                                      | 20                      |
| St. Mary's River | Old Mill to Easterly         | 1.4                 | 684                                  | 1,120                                  | 0                                      | 20                      |
|                  | Various Repairs              |                     |                                      |  | 500                                    |                         |
|                  | <b>Total:</b>                | <b>7.32</b>         | <b>3,578</b>                         | <b>3,673</b>                           | <b>2,740</b>                           |                         |

# **Auglaize County General Paving Specifications**

## **Required bonding and supplemental information:**

A bid bond or certified check in the amount of 10% of the total bid shall accompany all bid proposals to guarantee each and every bid proposal submitted to the Auglaize County Commissioners. All certified checks are to be made payable to the "Treasurer of Auglaize County". All bid bonds and certified checks shall be released to any unsuccessful bidders within 10 days of the County Commissioners making an award of a contract.

The contractor shall present to the Board of County Commissioners a 100% performance bond within 10 days from the notice of award by the County Commissioners.

The successful bidder, prior to the signing of the contract, shall provide to the County Commissioners:

1. A "Certification of Personal Property Tax" form
2. An OSHA contractor's agreement
3. Proof of liability insurance with minimum coverage as specified
4. Campaign Contribution Certification
5. Affirmative Action Clause: Each bidder, contractor or subcontractor shall fully comply with all rules, regulations, or restrictions in full as per Executive 11246 of Affirmative Action, Non-discrimination, and employee laws.

## **Job Mix Formulas:**

The Contractor shall provide to the Auglaize County Engineer a copy of the ODOT 441 (PG64-22) Type 1 Intermediate and Surface Light Traffic, job mix formula for each plant that provides hot mixed asphalt to this project. The Type 1 intermediate mix and Type 1 Surface (PG 70-20) shall follow ODOT Job Mix Formula. The Type 1 surface mix (PG 64-22) shall follow the ODOT Job Mix Formula, with the exception that **the bitumen content shall be 0.2% higher for the 441 (PG64-22) Surface Traffic mix.** Section "441.02 Composition" of the current ODOT specifications shall be used for acceptance for gradation.

Recycled asphalt shall not exceed 20% of any mix produced.

The ODOT Construction and Specifications Manual dated January 2023 shall be used as the reference for all other specifications relating to materials, application methods, penalties, etc. not directly mentioned as part of this bid document.

## **Pavement Planing:**

An estimated quantity of pavement planing is listed with approximate quantities shown on page 3 of these bid specifications. The approximate depth of pavement planing is one and a quarter (1.5") inches in depth. These quantities are estimates and final pavement planing locations and dimensions shall be confirmed with the County Engineer. All other pavement planning operations shall comply with 2023 ODOT CMS

No milled surfaces shall be exposed for more than 72 hours unless approved by the County Engineer.

All asphalt millings shall be delivered to the Auglaize County Highway Department located at 1014 South Blackhoof St., Wapakoneta, OH 45895.

## **Penalties:**

Penalties for non-completion of the project by October 1, 2026, shall be in accordance with ODOT CMS Manual 2023 Table 108.07-1. No Sunday work shall be permitted.

## **Liability:**

The contractor shall be able to furnish satisfactory evidence of automobile and general liability insurance coverage in an amount no less than five million (\$5,000,000), to ensure adequate payment for any damage caused by the resurfacing operations.

## **Traffic Control:**

It will be the responsibility of the Contractor to provide all traffic control for the work performed. It will be the responsibility of the Contractor to notify the Auglaize County Sheriff at 419-739-6565 of the location of the construction.

Unmarked "NO PASSING ZONES" signs shall be installed where necessary and to remain until final pavement markings are completed.

It will be the responsibility of the Contractor to notify schools prior to construction to notify them of possible delays (school district boundaries and phone numbers can be obtained from the Auglaize County Engineer).

The Contractor shall maintain and leave the "Road Under Construction" signs in place after the resurfacing until Auglaize County has placed the necessary berm stone and performed centerline painting. The contractor shall OUPS all locations with posts to be driven to a minimum of 24" depth.

**Testing:**

The Contractor will test the mix in accordance with the requirements of ODOT CMS 403 with the following revisions:

- For Verification Acceptance, the contractor shall pull a separate 10,000 gram sample any time Quality Control samples are pulled to match the 403 sampling specifications. All samples taken will be marked with all information needed for comparison checks by the County. These samples will be tested, randomly and at the County's discretion for comparison by an approved laboratory using the same methods listed in ODOT CMS 403.
- The Contractor shall supply the appropriate asphalt sample, paper work, test results etc. necessary to allow the independent laboratory to accurately run and compare the test results.
- The contractor shall notify the County any time samples are pulled to coordinate sample pickup.
- All costs associated with independent testing for verification acceptance will be the responsibility of the County.
- Testing not in agreement will be investigated.

The County reserves the right to employ an independent inspector to monitor the Contractor's laboratory, equipment, test methods, procedures etc.

Asphalt samples may be taken by the County from the on-site paving application. Any testing on these samples is the discretion of the County but shall be performed by an approved laboratory. All costs of testing shall be the responsibility of the County. All batch slips from the plant shall show the percent of AC asphalt contained in said load with all weight to be in "English" units (tons).

**Payment:**

Payments shall be based upon the average of the contractor's quality control samples compared to the County's Verification Acceptance samples using the pay factors as detailed below in the "Pay Scale Table" Section of these specifications. The Contractor shall be paid 100% of all work performed after test results of the asphalt samples have been compared, verified, and accepted.

All billing for resurfacing of county roadways shall be directed to the Auglaize County Engineer for processing. All invoices shall contain the exact quantities of materials placed for each individual roadway and sent to the Auglaize County Engineer.

Based upon existing revenue account balances at the time of request for payment, Auglaize County has the right to defer final payments until December 15, 2026.

**Pay Scale Table:**

The following chart will be used by the County in determining said pay factors for bitumen content (+0.2% greater than the 441 job mix formula) based on the average of test results as stated above.

| Pay Factor | Deviation of the Mean for Bitumen Content |             |             |             |
|------------|---|-------------|-------------|-------------|
|            | 1<br>Test                                 | 2<br>Test   | 3<br>Test   | 4<br>Test   |
| 1.00       | ± 0.70                                    | ± 0.47      | ± 0.36      | ± 0.30      |
| 0.98       | ± 0.71-0.80                               | ± 0.48-0.54 | ± 0.37-0.42 | ± 0.31-0.35 |
| 0.94       | ± 0.81-0.90                               | ± 0.55-0.61 | ± 0.43-0.48 | ± 0.36-0.40 |
| 0.85       | ± 0.91-1.00                               | ± 0.62-0.68 | ± 0.49-0.54 | ± 0.41-0.45 |
| 0.70       | ± 1.01-1.10                               | ± 0.69-0.75 | ± 0.55-0.59 | ± 0.46-0.50 |

## **Additional Notes**

The extra cost per ton for a "scratch course" shall be applied to any one mile section of roadway receiving less than 200 tons.

The County Engineer shall be notified of the scheduling of the resurfacing one week prior to the beginning of work. The County Engineer or his designated representative (inspector) at the job site will instruct the contractor to either add or delete tonnage on a particular section of roadway due to the existing profile.

The entire width of the pavement shall be cleaned with power-operated brooms before resurfacing. No rubber-tired rollers shall be used in either "knock-down" or finish rolling.

No intersections are to be resurfaced unless the roadway being resurfaced is the "through" road. Special care shall be taken at the "through" intersections to ensure a smooth transition onto the intersecting roads.

The contractor will be required to seal all feathered joints with AC20.

Only County and State roadways are to be utilized as haul roads. Township Roads can only be utilized by trucks when empty and returning to the plant.

All work performed by the Contractor shall be subject to the administration of Section 4115 of the Ohio Revised Code (prevailing wages).

All existing concrete or asphalt driveways entering the proposed roadways are to be "feathered" to meet road grades at a distance not to exceed three feet from the edge of the pavement unless otherwise directed by the engineer or township trustees. Only existing asphalt mailbox approaches shall be resurfaced unless otherwise directed by the County Engineer. The County Engineer shall advise the Contractor of any bridge decks not to be resurfaced, prior to the paving of the roadway (see itemized specifications).

Class II temporary centerline is to be the placement of 4" wide by 12" long yellow tape at 50' intervals. The tape shall be the quality typically used for temporary centerline. Temporary centerline is to be in place at the completion of each days resurfacing. A quantity is figured for both intermediate course and surface course locations.

The County Engineer shall provide risers for all of the surveying monument boxes located on the roadways to be resurfaced. It shall be the responsibility of the Contractor to install said risers to grade at the time of the resurfacing. A map of the locations of the boxes will be provided.

**Andrew Baumer, P.E., P.S.**  
Auglaize County Engineer

**This page must be executed prior to submission of bid**

The undersigned bidder hereby agrees that within ten (10) days from the date of the written notice of bid acceptance will enter into a contract with the Auglaize County Board of Commissioners and to have furnished the required performance bond in the amount of one hundred percent (100%) of the contract price or forfeit to the Auglaize County Board of Commissioners as liquidated damages the bid bond.

Dated the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

**IF AN INDIVIDUAL, SIGN BELOW**

Name: \_\_\_\_\_

Address: \_\_\_\_\_

**IF AN INDIVIDUAL DOING BUSINESS UNDER A TRADE NAME, SIGN BELOW**

Trade Name: \_\_\_\_\_

Address: \_\_\_\_\_

By: \_\_\_\_\_ Sole Owner

**IF A PARTNERSHIP, SIGN BELOW**

Name: \_\_\_\_\_

Address: \_\_\_\_\_

By: \_\_\_\_\_ Partner

By: \_\_\_\_\_ Partner

By: \_\_\_\_\_ Partner

By: \_\_\_\_\_ Partner

**IF A CORPORATION, SIGN BELOW**

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Incorporated under the laws of the State of \_\_\_\_\_

By: \_\_\_\_\_ Title: \_\_\_\_\_

The \_\_\_\_\_

of \_\_\_\_\_ is hereby offered as the Surety on the bid. If such surety is not acceptable to the Auglaize County Board of Commissioners, another and satisfactory surety company will be furnished.

The following persons, firms, or corporations are possible Subcontractors for the project. If no subcontractors are anticipated fill in NONE on the first line.

Name: \_\_\_\_\_ Is subcontractor DBE Yes/No \_\_\_\_\_

Address: \_\_\_\_\_

Percentage \_\_\_\_\_ Amount of work to be supplied \_\_\_\_\_

---

Name: \_\_\_\_\_ Is subcontractor DBE Yes/No \_\_\_\_\_

Address: \_\_\_\_\_

Percentage \_\_\_\_\_ Amount of work to be supplied \_\_\_\_\_

---

Name: \_\_\_\_\_ Is subcontractor DBE Yes/No \_\_\_\_\_

Address: \_\_\_\_\_

Percentage \_\_\_\_\_ Amount of work to be supplied \_\_\_\_\_

---

Name: \_\_\_\_\_ Is subcontractor DBE Yes/No \_\_\_\_\_

Address: \_\_\_\_\_

Percentage \_\_\_\_\_ Amount of work to be supplied \_\_\_\_\_

---

Name: \_\_\_\_\_ Is subcontractor DBE Yes/No \_\_\_\_\_

Address: \_\_\_\_\_

Percentage \_\_\_\_\_ Amount of work to be supplied \_\_\_\_\_

---

Make additional copies as necessary.

# Bid Bond

## Know All Persons By These Present:

that we, the undersigned \_\_\_\_\_ as principal, and \_\_\_\_\_ as sureties, are held and firmly bound unto the Board of County Commissioners of Auglaize County, Ohio in the penal sum of dollars(\$ \_\_\_\_\_) which is 5% of the bid, for the payment of which, well and truly to be made we hereby jointly and severally bind ourselves, our heirs and executors, administrators, successors and assigns.

THE CONDITION OF THE ABOVE OBLIGATION IS such that if the attached proposal of \_\_\_\_\_ for 2025 AUGLAIZE COUNTY ROAD PAVING is accepted and the contract awarded to the above named bidder, and the said bidder shall, within ten (10) days after notice of such award, enter into a contract in writing with surety or sureties to be approved by the Board of County Commissioners for the faithful performance of said contract, this obligation shall be void, otherwise the same shall be in full force and virtue in law.

Signed this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_.

\_\_\_\_\_

Principal

\_\_\_\_\_

Surety

# NONCOLLUSION AFFIDAVIT

**STATE OF OHIO**  
**COUNTY OF AUGLAIZE.**

Bid Identification: 2025 Auglaize County Road Paving

The undersigned, being duly sworn, deposes and says that he/she

\_\_\_\_\_ (TITLE)

of \_\_\_\_\_ (NAME OF COMPANY SUBMITTING BID)

The party hereby submitting the bid:

- that such bid is not made in the interest of or on behalf of any disclosed person, partnership, company, association, organization, or corporation
- that such bid is genuine and not collusive or sham
- that said bidder has not directly or indirectly induced or solicited any other bidder to submit a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to submit a sham bid, or that anyone shall refrain from bidding
- that said bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of said bidder or any other bidder, or to fix any overhead, profit, or cost element of such bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract or anyone interested in the proposed contract
- that all statements contained in such bid are true; and further, that said bidder, has not directly or indirectly submitted his bid price of any breakdown thereof, or the contents thereof, divulged information or data relative thereto, or paid and will not pay any fee in connection therewith, to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof, or to any other individual except to such person or persons as have a partnership or other financial interest with said bidder in his general business.

By: \_\_\_\_\_ (Name & Title)

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_ (Notary Public)

(Seal of Notary)

**Campaign Contributions Limitations Certifications**  
**ORC 3517.13 (I)(3) & (J)(3)**

I, the undersigned, on behalf of the Bidder identified below, hereby certify that, within the two previous calendar years, no person identified below, as an individual and while in a position described below, has made one or more contributions totaling in excess of one thousand dollars (\$1,000.00) to the holder of the public office having ultimate responsibility for the award of the subject contract or to the public officer's campaign committee.

Said persons are:

- a) The individual owner, if the Bidder is a sole proprietorship; or
- b) Each partner or owner, if the Bidder is a partnership; or
- c) Each shareholder, if the Bidder is an unincorporated business or an association, including without limitation a professional association, estate or trust; or
- d) Each owner of more than 20% of a Bidder that is a corporation or business trust; and
- e) Each spouse of any person identified in (a) through (d), above; and
- f) Each child seven years of age to seventeen years of age of any person identified in (a) through (d), above; and
- g) Any combination of said person.

Signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Bidder: \_\_\_\_\_

Signed: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_

## **Contractor's Certification of OSHA Compliance**

I hereby certify to Auglaize County that all of my employees and employees working for all subcontractors hired by my firm, while working at the jobsite of/for this improvement, will comply and meet all OSHA requirements and specifications.

I further understand that by signing is compliance certification, that my firm will hold Auglaize County harmless for any OSHA findings or infractions that would or could occur as the result any work performed by the employees of my company or any subcontractor hired by my company.

Contractor: \_\_\_\_\_

Authorized Signature: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_