



Andrew J. Baumer PE, PS

Auglaize County Engineer
1014 S. Blackhoof Street, P.O. Box 59
Wapakoneta, Ohio 45895

419-739-6520
abaumer@auglaizecounty.org

LEGAL NOTICE

The Board of County Commissioners will accept sealed bids in their office on March 26, 2026 for the following:

Bituminous material at	10:00 A.M.
Rock and Gravel Aggregate at	10:15 A.M.
Transit Mix Concrete at	10:30 A.M.
Road Paving program	10:45 A.M.
Bridge Paving at	11:00 A.M.

Bid specifications can be picked up at the Auglaize County Highway Department, 1014 S. Blackhoof St. Wapakoneta, OH 45895.

Bids shall be mailed or hand delivered to the Board of County Commissioners, 209 S. Blackhoof St. Wapakoneta, OH 45895 in sealed envelopes marked "Bituminous Material", "Rock and Gravel Aggregate", "Transit Mix Concrete", "Road Paving", or "Bridge Paving". Auglaize County Commissioners shall have the right to waive any informality and have the right to reject any or all bids.

This legal notice and bid specifications are also posted on the County's website at www2.auglaizecounty.org/elected-officials/engineer/bidding-opportunities

By the order of the Board of County Commissioners.

Andrew Baumer, P.E., P.S.
Auglaize County Engineer

Please publish in your paper March 12, 2026

Please send certification of publication when billing the

Auglaize County Engineer



Andrew J. Baumer PE, PS

Auglaize County Engineer
1014 S. Blackhoof Street, P.O. Box 59
Wapakoneta, Ohio 45895

419-739-6520
abaumer@auglaizecounty.org

February 25, 2026

To All Bituminous Bidders:

To give you an idea of the quantities of materials to be used by the Auglaize County Highway Department during 2026, please consider the following:

200 tons of combination 441 Type 1 & 2 and 301 mixes to be picked up at the plant.

Estimated usage --- 200,000 gallons of HF RS-2P
and 30,000 gallons Fog Seal.

Please list any other alternatives/options for fog seal on bid.

Price all delivered products as tanker load quantities. If less than tanker loads, pricing will be adjusted accordingly.

Please provide on the bid form any stipulations, etc that Auglaize County should consider in awarding bids. The bids shall be firm for all of 2026.

Bids will be opened at 10:00 A.M. on March 26, 2026, at the office of the Board of County Commissioners, 209 South Blackhoof St., Suite 201, Wapakoneta, Ohio.

Sincerely,

Andrew Baumer, P.E., P.S.
Auglaize County Engineer

**AUGLAIZE COUNTY ENGINEERING
 BID FORM FOR BITUMINOUS MATERIAL**

The Auglaize County Commissioners will be accepting sealed bids on Bituminous Material. Sealed bids can be mailed or hand delivered to Board of Commissioners, 209 South Blackhoof St., Room 201, Wapakoneta, OH 45895. Bids will be opened at 10:00 A.M. on Tuesday March 26, 2026 at said Commissioners Office. The Board of County Commissioners reserves the right to accept or reject any and/or all bids.

Bidder:	
Address:	
Phone:	
Email:	

We herewith submit a quotation, firm until December 31, 2026, to furnish the below listed materials in accordance with the attached bid specifications and requirements on the following page(s).

_____ Date

Authorized Representative Signature

Asphalt Concrete

<u>Item</u>		<u>Price per ton</u>
ODOT 441, Type 1 Surface	At plant	
ODOT 441, Type 2 Intermediate	At plant	
ODOT 301, Base mix	At plant	
SS7 Cold Mix	At plant / Delivered	

Liquid Asphalt Emulsion

<u>Item</u>		<u>Price per gallon</u>
RS-2	Delivered	
RS-2P	Delivered	
HF RS-2P	Delivered	
Demurrage rate		\$ per hour

Fog Seal

<u>Item</u>		<u>Price per gallon</u>	<u>Recommended Application Rate (gal/ sq. vd.)</u>
SS-1H (diluted 50%)	Delivered		
Alternate:	Delivered		
Demurrage rate		\$ per hour	

Past performance of supplier will be considered when Bituminous material is purchased by Auglaize County Engineer

Bituminous Material Bid Specifications

Material Testing:

The Auglaize County Engineer or his representative reserves the right to draw samples from all materials listed and supplied as a part of this bid document. The testing will be performed by an independent testing laboratory and all costs incurred shall be the responsibility of the Auglaize County Engineer. All samples will be taken at the project site and will be held for future reference and/or verification. The supplier may draw their own sample at the same time for comparison, but that sample shall be the responsibility of the supplier's representative.

Asphalt Concrete:

- All materials and mix designs shall be in accordance with Section 301 & Section 441, ODOT Construction and Materials Specifications dated January 1, 2023.
- A JMF shall be submitted for each mix design and plant location(s) quoted as a part of this bid document.

Liquid Asphalt Emulsion:

- Supply a technical data sheet showing the min/max test results for all products quoted as a part of this bid document. Standard tests shall be performed under specifications shown in AASHTO M316.
- The supplier shall provide the Auglaize County Engineer with QA/QC testing results in a timely manner for every 15,000 gallons of material supplied to Auglaize County.
- A comparison between the supplied technical data sheet, testing results performed by the Auglaize County Engineer as mentioned above and the supplier's QA/QC results will be the basis for acceptable materials. The Auglaize County Engineer reserves the right to reject substandard materials based on this comparison. Previous test results of a material and supplier will be considered when liquid asphalt emulsion is purchased.
- Demurrage will not begin for at least two (2) hours after arrival time. The demurrage rate thereafter shall be listed on the bid document.
- Some full loads of material may be billed directly to Townships at the order of the Auglaize County Engineer or his representative

Fog Seal:

- Supply a technical data sheet showing the min/max test results for all products quoted as a part of this bid document. Standard tests shall be performed under specifications shown in AASHTO M316.
- Residue by distillation, as tested per AASHTO T59, shall not be less than 30%.
- The supplier's recommended application rate shall be listed on the bid document as gallons per square yard.
- The supplier shall provide the Auglaize County Engineer with QA/QC testing results in a timely manner for every 15,000 gallons of material supplied to Auglaize County.
- A comparison between the supplied technical data sheet, testing results performed by the Auglaize County Engineer as mentioned above and the supplier's QA/QC results will be the basis for acceptable materials. The Auglaize County Engineer reserves the right to reject substandard materials based on this comparison. Previous test results of a material and supplier will be considered when fog seal is purchased.
- Demurrage will not begin for at least two (2) hours after arrival time. The demurrage rate thereafter shall be listed on the bid document.
- Some full loads of material may be billed directly to Townships at the order of the Auglaize County Engineer or his representative.